UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/718,474	11/20/2003	Rodney J. Farley	43367-0300	1046
	7590 04/29/200 MER LLP (OC)	EXAMINER		
600 ANTON BOULEVARD			SHAN, APRIL YING	
SUITE 1400 COSTA MESA, CA 92626			ART UNIT	PAPER NUMBER
			2135	
			MAIL DATE	DELIVERY MODE
			04/29/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/718,474	FARLEY ET AL.		
Office Action Summary	Examiner	Art Unit		
	APRIL Y. SHAN	2135		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 16 Ja     This action is <b>FINAL</b> . 2b)☑ This     Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-8,10-18 and 21-24 is/are pending in 4a) Of the above claim(s) 14,15,18 and 21 is/ar 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-8,10-13,16,17 and 22-24 is/are rejection claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers	e withdrawn from consideration.			
	_			
9) ☐ The specification is objected to by the Examiner 10) ☑ The drawing(s) filed on 16 January 2008 is/are:  Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction of the oregin of	a) accepted or b) objected or b) objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	nte		

Art Unit: 2135

#### **DETAILED ACTION**

A Request for Continued Examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 16 January 2008 has been entered.

- Claims 1, 10-12, 16 and 24 have been amended. Claims 9 and 19-20 have been canceled. Claims 14-15, 18 and 21 have been withdrawn due to restriction. No new claims have been added. Claims are 1-8, 10-18 and 21- 24 are currently pending in the present application. Claims 1-8, 10-13, 16-17 and 22-24 have been examined.
- 3. Applicant's amendments and argument have been fully considered, but are moot in view of new ground rejection as set forth below. It is noted that Applicant's arguments are directed towards limitations newly added via amendments.
- 4. Any objection/rejection not repeated below is withdrawn due to Applicant's amendment.

#### Specification

5. The examiner acknowledges Applicant's amendment to the Specification.

### **Drawings**

6. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application.

Although the Applicant stated new edit drawings were submitted on January 16, 2008 for figs. 1-3 and the changes marked in red, the examiner carefully compared the figures 1-3 with the original drawings of fig. 1-

Art Unit: 2135

3 submitted on November 20, 2003, and NO changes have been made to fig. 1-3. Thus, the examiner is unable to approve the new corrected drawings in the current Office Action. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

# **Priority**

7. Applicant claimed that the current application claims priority to U.S. Provisional Application No. 60/428,091 entitled "Terminal Data Loader" filed Nov. 21, 2002.

Examiner had reviewed carefully the U.S. Provisional Application (60/428,091). The U.S. Provisional application (60/428,091) only broadly discloses a terminal data loader. However, the examiner discovered at least three claim limitations, "a predetermined portion of the media data being encrypted", "a security processor unit receiving an encrypted media signal from the media unit and outputting an unencrypted media signal based on one or more predetermined cryptographic keys utilizing a predetermined cryptographic algorithm" and "a physical key unit for receiving a physical key, the physical key unit and physical key determining at least one cryptographic key for the security processor unit" in the amended independent claim 1 of the current application are not supported by the U.S. Provisional application (60/428,091). Therefore, the examiner will not grant the priory date as claimed. The effective filling date of the current application is the filling date of the current application, which is 20 November 2003.

Art Unit: 2135

# Claim Rejections - 35 USC § 112

8. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

9. Claims 1-8, 10-13 and 22-24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As per **claim 1**, "a security processor unit receiving **an encrypted media signal**" is being recited on line 8. It is not clear whether this is the same as or different from "**a media signal**" recited on line 7. Further, "a control processor...**the media signal**..." is being recited on line 13. It is not clear whether this is referring to "an encrypted media signal" or "an unencrypted media signal" recited on lines 8-9.

As per **claim 10**, "receive a wireline signal" is being recited on line 9. However, it is not clear whether this wireline signal is the same wireline signal as being recited in claim 1 or a different wireline signal from claim 1. Further, "output an unencrypted media signal" is being recited on line 12. It is not clear this unencrypted media signal referring to as information signal recited in the same claim being unencrypted or an unencrypted media signal recited in claim 1.

Claims 2-8, 11-13 and 22-24 are rejected for fully incorporating the deficiencies of independent claim 1, respectively, by virtue of their dependency thereon.

Art Unit: 2135

# Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 11. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 12. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 13. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Benaloh (U.S. Patent No. 6,886,098) in view of "In-flight Entertainment Whitepaper" (Hereinafter Whitepaper).

As per **claim 1**, Benaloh discloses a mobile communication system having an information content delivery system for delivering information to users aboard a mobile platform, a terminal data loading device

Application/Control Number: 10/718,474

Art Unit: 2135

semi-permanently installed on the mobile platform ("...Specifically, such content players are typically installed, semi-permanently, in commercial airliners so that airline passengers can enjoy in-flight movies" – e.g. col. 5, lines 12-14. Please note content player corresponds to Applicant's terminal data loading device), comprising:

Page 6

a media unit ("DVD drive 106 in fig. 1, col. 3, line 62 and col. 4, lines 1-2. Please note DVD drive corresponds to Applicant's media unit) operatively connectable to a transportable media element containing media data ("...These in-flight movies are provided on DVD disks" – e.g. col. 5, lines 14-15, "...CD or DVD" - e.g. col. 1, line 65, col. 4, lines 38-40 and col. 5, lines 22-24. Please note CD or DVD corresponds to Applicant's transportable media element), a predetermined portion of the media data being encrypted ("...For example, a DVD might carry...an encrypted movie" - e.g. col. 12, lines 34-36 and "Encrypt each partition with its unique key" – step 1208 in fig. 12), the media unit being capable of reading the media data from the media element and outputting a media signal (e.g. col. 3, line 67 – col. 4, line 8 and step 1216 in fig. 12. Please note it is common knowledge in art a DVD drive 106 is capable of read media data from a DVD);

a security processor unit receiving an encrypted media signal from the media unit ("Fig. 12 is a flow diagram of steps in a method in accordance with the described embodiment..." – e.g. col. 11, lines 33-36, "Step 1216 then provides the encrypted content ...to each content player" - e.g. col. 12, lines 19-21 and "Receive encrypted content package" – e.g. step 1300 in fig. 13) and outputting an unencrypted media signal based on one or more predetermined cryptographic keys utilizing a predetermined cryptographic algorithm ("Fig. 13 is a flow diagram that describes steps in a method for receiving and playing encrypted content in accordance with the described embodiment.." – e.g. col. 12, lines 40-46, "Decrypt each partition with its associated key" – e.g. step 1308 in fig. 13 and col. 12, line 47 – col. 13, line 9)

Art Unit: 2135

a physical key unit for receiving a physical key, the physical key unit and physical key determining at least one cryptographic key for the security processor unit ("...the encryption key collection resides on a smart card or the like. In other embodiments...a DVD might carry both an encrypted movie as well ad an encrypted key collection for the content player. Additionally, in the in-flight entertainment example given above, We see how it is possible for the encrypted content and multiple differently encrypted key collections to be delivered together" – e.g. col. 12, lines 32-39. Please note smart card or the like or DVD corresponds to Applicant's physical key. Inherently, there must a smart card reader or the like existing as a physical key unit in the device/player to receive smart card or the like. Further, a DVD driver 106 in fig. 1 corresponds to Applicant's physical key unit in the case the cryptographic keys are resided on DVD);

a control processor unit ("CPU 101" in fig. 1 and col. 3, lines 58-59) for receiving the media signal from the security processor unit (e.g. col. 4, lines 36-58 and "play unencrypted partitions" in step 1310 on fig. 13.) and parsing the media signal into blocks of information of a predetermined size ("As an aside, it will be appreciated that the definition and marking of the individual partitions need not take place in that order or as separate steps. Specifically, it is possible for the partitions to be inherently defined and marked in the every process that is used to create the unencrypted content" – e.g. col. 9, lines 46-51 and col. 9, lines 10-45. Please note in col. 4, lines 36-58, Benaloh discloses various types of programs or steps described in the reference is in conjunction with a microprocessor or other data processor and they are executed by the CPU of the system. In step 1310 of Benaloh, the CPU receives the unencrypted content and plays the unencrypted partitions).

Benoaloh does not expressly disclose a wireline communication unit for receiving the blocks of information and outputting a wireline signal to a network on the mobile platform.

Application/Control Number: 10/718,474

Art Unit: 2135

In the same field of endeavor of in-flight entertainment, Whitepaper discloses a wireline communication unit for receiving the blocks of information and outputting a wireline signal to a network on the mobile platform ("Use of wired/wireless protocols for Data Distribution System..." - e.g. pages 6 and 9)

Page 8

It would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate Whitepaper's a wireline communication unit for receiving the blocks of information and outputting a wireline signal to a network on the mobile platform into Benaloh's device motivated by "providing a wired network connection between the connected systems based on IEEE 802.3 Ethernet, supporting the IEEE 802.1D Spanning Tree Protocol....provides extremely high bandwidth and a more efficient use of system resources between Ethernet Switch Units for the purpose of fault tolerance" (e.g. page 6 of Whitepaper)

14. Claims 1-5, 8, 11-12, 16-17 and 22-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Benaloh (U.S. Patent No. 6,886,098) in view of Holst et al. (U.S. Patent No. 6,671,589)

As per **claim 1**, Benaloh discloses a mobile communication system having an information content delivery system for delivering information to users aboard a mobile platform, a terminal data loading device semi-permanently installed on the mobile platform ("...Specifically, such content players are typically installed, semi-permanently, in commercial airliners so that airline passengers can enjoy in-flight movies" – e.g. col. 5, lines 12-14. Please note content player corresponds to Applicant's terminal data loading device), comprising:

a media unit ("DVD drive 106 in fig. 1, col. 3, line 62 and col. 4, lines 1-2. Please note DVD drive corresponds to Applicant's media unit) operatively connectable to a transportable media element containing media data ("...These in-flight movies are provided on DVD disks" – e.g. col. 5, lines 14-15,

Art Unit: 2135

"...CD or DVD" - e.g. col. 1, line 65, col. 4, lines 38-40 and col. 5, lines 22-24. Please note CD or DVD corresponds to Applicant's transportable media element), a predetermined portion of the media data being encrypted ("...For example, a DVD might carry...an encrypted movie" - e.g. col. 12, lines 34-36 and "Encrypt each partition with its unique key" – step 1208 in fig. 12), the media unit being capable of reading the media data from the media element and outputting a media signal (e.g. col. 3, line 67 – col. 4, line 8 and step 1216 in fig. 12. Please note it is common knowledge in art a DVD drive 106 is capable of read media data from a DVD);

a security processor unit receiving an encrypted media signal from the media unit ("Fig. 12 is a flow diagram of steps in a method in accordance with the described embodiment..." – e.g. col. 11, lines 33-36, "Step 1216 then provides the encrypted content ...to each content player" - e.g. col. 12, lines 19-21 and "Receive encrypted content package" – e.g. step 1300 in fig. 13) and outputting an unencrypted media signal based on one or more predetermined cryptographic keys utilizing a predetermined cryptographic algorithm ("Fig. 13 is a flow diagram that describes steps in a method for receiving and playing encrypted content in accordance with the described embodiment.." – e.g. col. 12, lines 40-46, "Decrypt each partition with its associated key" – e.g. step 1308 in fig. 13 and col. 12, line 47 – col. 13, line 9)

a physical key unit for receiving a physical key, the physical key unit and physical key determining at least one cryptographic key for the security processor unit ("...the encryption key collection resides on a smart card or the like. In other embodiments...a DVD might carry both an encrypted movie as well ad an encrypted key collection for the content player. Additionally, in the in-flight entertainment example given above, we see how it is possible for the encrypted content and multiple differently encrypted key collections to be delivered together" – e.g. col. 12, lines 32-39. Please note smart card or the like or DVD corresponds to Applicant's physical key. Inherently, there must a smart card reader or the like

Art Unit: 2135

excising as a physical key unit in the device/player to receive smart card or the like. Further, a DVD driver 106 in fig. 1 corresponds to Applicant's physical key unit in the case the cryptographic keys are resided on DVD);

a control processor unit ("CPU 101" in fig. 1 and col. 3, lines 58-59) for receiving the media signal from the security processor unit (e.g. col. 4, lines 36-58 and "play unencrypted partitions" in step 1310 on fig. 13.) and parsing the media signal into blocks of information of a predetermined size ("As an aside, it will be appreciated that the definition and marking of the individual partitions need not take place in that order or as separate steps. Specifically, it is possible for the partitions to be inherently defined and marked in the every process that is used to create the unencrypted content" – e.g. col. 9, lines 46-51 and col. 9, lines 10-45. Please note in col. 4, lines 36-58, Benaloh discloses various types of programs or steps described in the reference is in conjunction with a microprocessor or other data processor and they are executed by the CPU of the system. In step 1310 of Benaloh, the CPU receives the unencrypted content and play the unencrypted partitions).

Benoaloh does not expressly disclose a wireline communication unit for receiving the blocks of information and outputting a wireline signal to a network on the mobile platform.

However, Holst et al. discloses a wireline communication unit for receiving the blocks of information and outputting a wireline signal to a network on the mobile platform (e.g. fig. 1, col. 2, lines 19-43 and col. 3, line 35 – col. 4, line 33)

It would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate Holst et al.'s a wireline communication unit for receiving the blocks of information and outputting a wireline signal to a network on the mobile platform into Benaloh's device motivated by "brides the gap between interfacing with existing avionics systems for data uploading and data acquisition without

drastically modifying the way airplanes are currently built" and "to remotely initiating ARINC 615 uploads and downloads to and from all of ARINC 615 compatible Avionics..without manual on-aircraft intervention via the apparatus 400 functioning as an avionics gateway...software uploading to airborne computers is a marked improvement" (Holst et al. col. 2, lines 19-23 and col. 4, lines 33-43).

As per claim 2, Benaloh – Holst et al. discloses a device as applied above in claim 1. Benaloh – Holst et al. further discloses wherein the wireline communication unit can receive a wireline signal from a network on a mobile platform and output an information signal (please see above rationale in rejection claim 1), wherein the control processor unit can receive an information signal from the wireline communication unit and output a media signal (e.g. Holst et al., col. 3, line 65 – col. 4, line 63 and please see above rationale in rejecting claim 1), and wherein the media unit can receive a media signal from the control processor unit and write the media signal to a transportable media element, the media unit being operatively connectable to the transportable media element (please see above rationale in rejecting claim 1).

As per **claim 3**, Benaloh – Holst et al. discloses a device as applied above in claim 1. Holst et al. further discloses a wireless communication unit for receiving an information signal from the control processor unit and sending a wireless signal to a receiving wireless communication unit in a wireless network, the receiving wireless communication unit outputting an information signal to the control processor unit (e.g. col. 2, line 39-42, col. 3, lines 11-15, col. 3, lines 50-61, fig. 4 and claim 1).

As per **claim 4**, Benaloh – Holst et al. discloses a device as applied above in claim 1. Benaloh further discloses wherein the media element is a Digital Versatile Disk (DVD) ("...These in-flight movies are provided on DVD disks" – e.g. col. 5, lines 14-15) and the media unit is a DVD drive ("DVD drive 106 in fig. 1).

As per **claim 5**, Benaloh – Holst et al. discloses a device as applied above in claim 1. Benaloh further discloses wherein the media element is a compact Disc (CD) ("...CD or DVD" - e.g. col. 1, line 65) and media unit is a CD drive ("DVD drive 106 in fig. 1).

As per **claim 8**, Benaloh – Holst et al. discloses a device as applied above in claim 1. Benaloh further discloses wherein the media element can be safely used on the mobile platform without requiring a mobile platform precertification of the media element against harmful interactions with the mobile platform (e.g. col. 8, lines 42-47 and col. 5, line 14 – col. 6, line 20).

As per **claim 11**, Benaloh - Holst et al. disclose a device as applied above in claim 1. Benaloh further discloses wherein the predetermined cryptographic algorithm is a symmetric key algorithm (e.g. col. 6, line 34).

As per **claim 12**, Benaloh – Holst et al. disclose a device as applied above in claim 1. Benaloh further discloses wherein the predetermined cryptographic algorithm is an asymmetric key algorithm and the physical key unit determines at least one cryptographic key pair comprising a public and private key (e.g. col. 6, line 44 – col. 7, line 30).

As per **claims 16 and 17**, they are rejected using the same rationale as rejecting claims 1-3.

As per claim 22, Benaloh – Holst et al. disclose a device as applied above in claim 1. Holst et al. further discloses wherein the wireline communication unit is an Ethernet device, a fiber channel device, a token ring device, or a universal-serial-bus device ("...connected to the aircraft LAN using wired ETHERNET..." - e.g. claim 1 and "loadable systems...establishing communication..through a network Ethernet hub or switch" – e.g. claim 10)

As per **claim 23**, Holst et al. further discloses wherein the wireline communication unit is a serial communication device that conforms to an accepted standard (e.g. col. 3, lines 50-61).

Art Unit: 2135

As per **claim 24**, Holst et al. further discloses wherein the wireline communication unit is a local area wireless connection that can only communicate within the network on the mobile platform ("...connected to the aircraft LAN using wired ETHERNET...or aircraft wireless spread spectrum connection configured as an wirless access point" - e.g. claim 1 and col. 3, lines 20-61)

15. Claim 6 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Benaloh (U.S. Patent No. 6,886,098) - Holst et al. (U.S. Patent No. 6,671,589) as applied to claim 1 above, and further in view of Stelling et al. (U.S. Patent No. 7, 213,268).

As per **claim 6**, Benaloh – Holst et al. disclose a device as applied above in claim 1. Benaloh- Holst et al. does not discloses wherein the media element is a solid-state memory stick and the media unit is a memory stick interface for reading and writing the memory stick.

However, Stelling et al. discloses wherein the media element is a solid-state memory stick and the media unit is a memory stick interface for reading and writing the memory stick (e.g. col. 4, lines 3-9).

It would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate Stelling et al.'s the media element is a solid-state memory stick and the media unit is a memory stick interface for reading and writing the memory stick into Benaloh – Holst et al. motivated by "accommodates removable digital storage media" (e.g. Stelling et al. col. 4, lines 3-4)

As per **claim 13**, Benaloh – does not expressly disclose wherein the symmetric key algorithm is the digital encryption standard (DES), the triple-DES protocol, or the advanced encryption standard (AES).

However, Stelling et al. discloses in col. 4, lines 22-27 of this well known feature wherein the symmetric key algorithm is the digital encryption standard (DES), the triple-DES protocol, or the advanced encryption standard (AES).

Art Unit: 2135

It would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate Stelling et al.'s well known feature wherein the symmetric key algorithm is the digital encryption standard (DES), the triple-DES protocol, or the advanced encryption standard (AES) with Benaloh since "Those of skill in the art appreciate that the encryption algorithms referred to may be implemented through any one of a number of commonly used algorithms, such as DES" (Stelling et al., e.g. col. 4, lines 22-27)

16. Claims 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Benaloh (U.S. Patent No. 6,886,098) - Holst et al. (U.S. Patent No. 6,671,589) as applied to claim 1 above, and further in view of Chan (U.S. Patent No. 6,775,087).

As per **claim 7**, Benaloh – Holst et al. does not expressly disclose wherein the media element is a Advanced Intelligent Tape (AIT) and the media unit is an AIT drive.

Chan discloses wherein the media element is a Advanced Intelligent Tape (AIT) and the media unit is an AIT drive (e.g. col. 3, lines 31-57).

At the time of the time invention, it would have been obvious for a person with ordinary skill in the art to incorporate Chan's AIT and AIT drive into Benaloh – Holst et al. device.

The motivation of doing so would have been "access data at any one of up to 256 partitions in the magnetic tape without rewinding to the beginning of the magnetic tape and reading the system log to find the desired file", as taught by Chan (col. 3, lines 52-57)

14. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Benaloh (U.S. Patent No. 6,886,098) - Holst et al. (U.S. Patent No. 6,671,589) as applied to claim 1 above, and further in view of WO01/06787 A1 (Hereinafter as '787)

As per **claim 10**, Holst et al. further discloses data uploading of software and collection of S/W configuration information from the various loadable avionis and download data between subsystems and

Art Unit: 2135

data load applications (e.g. abstract), in other words, the communication between the media unit/element and the loading system are bi-directional, which meets the limitation wherein the wireline communication unit can receive a wireline signal from a network on a mobile platform and output an information signal, wherein the control processor unit can receive the information signal from the wireline communication unit and output an unencrypted media signal and wherein the media unit can receive media signal from the security processor unit. Further, Benaloh discloses a DVD connected to a DVD driver and write the encrypted media signal to the DVD (e.g. col. 12, lines 32-39), which meets the limitation write the encrypted media signal to a transportable media element, the media unit being operatively connectable to the transport media element.

Benaloh – Holst et al. does not expressly disclose the security processor unit can receive the unencrypted media signal and output an encrypted media signal.

However, this well known feature of the security processor unit can receive the unencrypted media signal and output an encrypted media signal is disclosed in '787, "The decrypted video data is then immediately input into a second encryption device which re-encrypts the video data...The re-encrypted video data is then transferred to...".

It would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate '787's well known feature of the security processor unit can receive the unencrypted media signal and output an encrypted media signal into Benaloh – Holst et al motivated to enhance data distribution security.

#### Conclusion

15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. (See PTO – 892)

Application/Control Number: 10/718,474

Art Unit: 2135

Any inquiry concerning this communication or earlier communications from the examiner should be directed to APRIL Y. SHAN whose telephone number is (571)270-1014. The examiner can normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST.

Page 16

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Y. Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/April Y Shan/

Examiner, Art Unit 2135

/KIMYEN VU/

Supervisory Patent Examiner, Art Unit 2135